

Acoustic Solutions






PET bottle
Common plastic
drinks bottle



Sort PET bottles
from other types
of bottles



Separate out different
coloured bottles with
machines using light
scanners and air jets




Crush the bottles
into small bits
called 'flakes'



Wash the small
flakes to clean
the plastic and
remove labels and
start separating
lighter plastics
from heavier ones,
like bottle tops






ENVIRONMENTAL COMMITMENT

Access has a long history of social responsibility and a commitment to protect the environment. As an ISO14001 Certified company and a signatory to the Australian Packaging Covenant (APCO), each year we strive to achieve higher standards of environmental protection and sustainability through evaluations of materials, process and the ecological impact of products.

Our future depends on best environmental practices.



ACCESS

A local story.

At Access we are local! 100% Australian owned and family run company operating since 1992. We keep stock here in Perth. No need to wait for your furniture to arrive from the Eastern States.

We offer our customers locally made and imported products so you get the best of both worlds.....

Community

Access loves to support community, partnering with local colleges in educational training programs benefiting year 12 students as well as those with disabilities.

With an ongoing commitment to “jobs for the future” our mentoring and coaching program has assisted students studying Process Manufacturing qualifications.

CONTENT

ACCESS ACOUSTIC SOLUTIONS	03-04
CERTIFICATES	03
ACOUSTIC SOLUTIONS	04
POLYESTER FIBER ACOUSTIC PANEL	05-10
9MM 12MM AND 24MM STANDARD PANEL	07-08
FLAME RETARDANT PANEL	09
POLISHED PANEL	10
CUSTOMIZED PANEL	10
POLYESTER FIBER ACOUSTIC FELT	11-12
FELT PANEL COMPOSITION	13-14
CARVED FEATURED ACOUSTIC PANEL	15-22
HOLLOW-OUT PANEL	17-20
V-GROOVED PANEL	21-22
PRINTING WALL COVERING	23-24
3D POLYESTER FIBER ACOUSTIC PANEL	25-30
3D PANEL TILE	27-28
3D FELT TILE	29-30
ACOUSTIC FURNITURE	31-38
EMBOSSED DESK DIVIDER	33-34
ENGRAVING DESK DIVIDER	35-36
WORKSTATION	37-38
DESIGN APPLICATIONS	39-52
KUSWAVES ACOUSTIC PANEL	41-42
KUSTAR ACOUSTIC CEILING	43
KUSCLOUD ACOUSTIC CEILING	44
KUSWAFFLE ACOUSTIC CEILING	45
KUSBAFFLE ACOUSTIC CEILING	46
TECHCEILING ACOUSTIC CEILING	47
KUSWALL ACOUSTIC WALL BAFFLE	48
KUSLIGHTING	49-50
KUSDIVIDER STANDING ACOUSTIC DIVIDER	51
KUSRUSTIC SLATS ACOUSTIC PANEL	52
INSTALLATION	53-56

CERTIFICATION

EO STANDARD



E0 Standard shows that the materials meet the requirements of EN717-1:2004 standards which are free of formaldehyde and environment friendly.

ACOUSTIC



NRC reaches more than 0.8 based on 200mm air gap.

FLAME RETARDANT



ASTM E-84 Class A

EN 13501-1:2007+A1:2009 B

Our PET permanent flame-retardant polyester fiber acoustic panels have passed ASTM E84-2018 Class A and EN 13501-1:2007+A1:2009 Class B.

ACCESS ACOUSTIC SOLUTIONS

Access acoustic solutions are based on recycled polyester fiber acoustic panels, they are manufactured from 100% polyester fiber and contain a minimum of 75% post consumer recycled material (pet water bottles), reducing internal and external sound influences and adding a vibrant feature to your environment. With a mission to improve well-being and to help create quiet agile workspaces in Australia, Access continues to provide original acoustic solution and furnishings to meet the needs of the modern NWOW (New Way Of Working) workplaces.

PRODUCT CHARACTERISTICS



ACOUSTIC



RECYCLE



PRINTABLE



TACKABLE



THERMAL INSULATION



VENTILATE



LIGHT WEIGHT



DECORATIVE



FIRE-RATED



IMPACT RESISTANCE



EASY INSTALLATION





NON TOXIN



With the increasing plastic pollution Access Acoustic Solutions offers you a creative way to help reduce the amount of plastic finding it's way into the planets waterways and help to create an amazing new workplace environment at the same time!

Our PET panels contain no chemical binders including Formaldehyde so has no negative impact on indoor air quality. With superb acoustic and thermal performance plus solid colour throughout, Access Acoustic Solutions PET panels and furniture offers a great solution to workplace noise reverberation.





POLYESTER FIBER ACOUSTIC PANEL

9MM 12MM AND 24MM STANDARD PANEL



Brief introduction

Our polyester fiber acoustic panel has sound absorbing, non-toxic, non-allergenic and non-irritant characteristics. It is good choice for managing echo and creating a durable interior solution. More than 37 colors are available in stock for 9mm thickness, 22 colors for 12mm thickness and 21 colors for 24mm thickness

Product Specifications

Product Type	9/12/24mm Standard Panels
Material	100% polyester fiber
Size	2440*1220mm
Thickness	9/12/24mm have stock
Density	1500g/sqm and 1900g/sqm for 9mm 2300g/sqm for 12mm 4000g/sqm for 24mm
Color	37 colors for 9mm; 22 colors for 12mm; 21 colors for 24mm
NRC	0.8-0.9
Eco-friendly	E0
Fire-resistance	EN13501 Class B

9MM COLOR CHART



12MM COLOR CHART



24MM COLOR CHART



POLYESTER FIBER ACOUSTIC PANEL

ASTM CLASS A FLAME RETARDANT PANEL



A Class Fire-rated Polyester fiber acoustic panel
Fire-rated: ASTM E84-2018 Class A



permanent flame retardant polyester fiber acoustic panel passed ASTM E84
Class A , more than 12 colors are available.



Product Specifications

Product Type	Flame Retardant Panels
Material	100% polyester fiber
Size	2440*1220mm
Thickness	9/12mm or customized
Density	1900g/sqm for 9mm, 2300g/sqm for 12mm or customized
Color	12 colors or customized
NRC	0.8-0.9
Eco-friendly	E0
Fire Resistance	ASTM E84 Class A

POLYESTER FIBER ACOUSTIC PANEL

POLISHED PANEL



New product – Polished panels
With the introduction of a new
Imported automated production
line we now have a PET panel
available with a polished smooth
surface, significantly improving
the visual effect

Product Specifications

Product Type	Polished Panel
Material	100% polyester fiber
Size	2440*1220mm
Thickness	9/12mm or customized
Density	1900g/sqm for 9mm; 2300g/sqm for 12mm or customized
Color	37 colors for 9mm; 22 colors for 12mm or customized
NRC	0.8-0.9
Eco-friendly	E0
Fire Resistance	EN13501 Class B

CUSTOMIZED PANEL

This new production line improves the overall production efficiency saving more energy in the process. Any thickness can now be produced on shorter lead times.



Product Specifications

Product Type	Customized Panel
Material	100% polyester fiber
Size	Maximum width 2600mm
Thickness	3mm-30mm
Density	1000g/sqm - 5000g/sqm
Color	37 colors for 9mm; 22 colors for 12mm or customized
NRC	0.8-0.9
Eco-friendly	E0
Fire Resistance	EN13501 Class B

POLYESTER FIBER ACOUSTIC FELT

Felt color chart

			
KF-01	KF-02	KF-03	KF-04
			
KF-05	KF-06	KF-07	KF-08
			
KF-09	KF-10	KF-11	KF-12
			
KF-13	KF-14	KF-15	KF-16
			
KF-17	KF-18	KF-19	KF-20
			
KF-21	KF-22	KF-23	KF-24
			
KF-25	KF-26	KF-27	KF-28
			
KF-29	KF-30	KF-31	KF-32
			
KF-33	KF-34	KF-35	KF-36
			
KF-37	KF-38	KF-39	KF-40
			
KF-41	KF-42	KF-43	KF-44

Brief Introduction

Our Acoustic felt is made from 100% polyester fiber.

The fiber's unique tough structure and soft appearance means that most continue to view polyester felt fiber as an intriguing material that is shockproof, dust proof, insulating and sound proofing with a wide variety of uses.



Product Specifications

Product Type	Polyester Fiber Acoustic Felt		
Material	100% polyester fiber.		
Thickness	1mm	2mm	3mm
Density	200g/sqm	400g/sqm	600g/sqm
Size	1.05*100m	1.05*100m	1.05*50m
Color	40 colors		





FELT PANEL COMPOSITION

Brief introduction

Made from 100% polyester fiber, needle-punched felt and thermally bonded to an acoustic backing with ECO adhesive, our felt panels reduce the need for extensive wall preparation and painting and provides the freedom to create a unique look in any space.

They will transform your walls into acoustic notice boards by taking advantage of the tackable hook and loop receptive surface, providing the perfect complement for commercial offices, libraries and the education sector.



Product Specifications

Product Type Felt Panel Composition


Size Max to 2400*1000mm

Thickness 11mm/12mm/14mm/15mm

Density 1700g/sqm to 4000g/sqm

Color Panel color- choose from 9mm panel color chart
Felt color- choose from felt color chart

Applications Tack board, hook-and-loop receptive surface,
acoustic wallcovering





CARVED FEATURED ACOUSTIC PANEL

More than just a traditional interior acoustic panel, polyester fiber acoustic panel can be used as a base material for creative solutions where design and aesthetics are important. The appearance of carved featured acoustic panel is a direct response to discover the limitless design flexibility of polyester fiber acoustic panel. It is a perfect choice for wall covering, cabinetry, furniture, and finished products in a variety of settings.

CARVED FEATURED ACOUSTIC PANEL

HOLLOW-OUT ACOUSTIC PANEL


Combined the genuine local craftsmanship tradition with the latest technological advances, hollow-out acoustic panel encourages and inspires the ideas and creativity in workers by providing visual and acoustic privacy in open spaces.

Product Specifications

Product Type	Hollow-out acoustic panel
Material	100% polyester fiber
Size	2400*1200mm
Thickness	9/12mm
Density	1900g/sqm for 9mm; 2300g/sqm for 12mm
Colors	37 Colors for 9mm; 22 Colors for 12mm or customized
NRC	0.8 – 0.9
Eco-friendly	E0
Fire Resistance	EN13501 ClassB



Designs



Customized design is available.


CARVED FEATURED ACOUSTIC PANEL

HOLLOW-OUT ACOUSTIC PANEL MOUNTING

3 Methods to Mounting


Hanging

Ceiling hang with carriers






Standing

Standing with moveable frame



Wall Mounting

Wall hang with back panel and frame



CARVED FEATURED ACOUSTIC PANEL

V-GROOVED ACOUSTIC PANEL




carved panel may be hung individually or in groups to segment space or glue on the wall

to create visual effect and reduce unwanted noise also you can use them as screen, wall panel and home dividers.


Product Specification

Product Type	V-grooved Acoustic Panel
Material	100% polyester fiber
Size	2400*1200mm, 1200*600mm, 600*600mm
Thickness	9/12mm
Density	1900g/sqm for 9mm; 2300g/sqm for 12mm
Colors	37 Colors for 9mm; 22 Colors for 12mm or customized
NRC	0.8 – 0.9
Eco-friendly	E0
Fire Resistance	EN13501 Class B



Designs

Size: 2400*1200mm



KCA-01


KCA-02

KCA-03

KCA-04

KCA-05

KCA-06



KCA-07

KCA-08


KCA-09

KCA-10

KCA-11

KCA-12

Size: 1200*600mm and 600*600mm for Combination



KCS-01

KCS-02

KCS-03



KCS-04


KCS-05

KCS-06

KCS-07

KCS-08A/B





WG0006b



WG0038b



WG0007b



WG0018b



WG0040b



MS0006a



MS0022a



MS0024a



QZ0013a



QZ0031a



QZ1037



QZ1013



SS0001



SS0017



SS0009



CM00001



CM00002



CM00003



CM00004



PRINTING WALL COVERING


Brief introduction

Our printed wall coverings are a collection of digital printed patterns designed with the modern commercial space in mind. It controls the acoustics of the space and provides visual dynamics that change as you move around the space. any custom print can be arranged, just contact us and let us know your project's requirements.

Product Specifications

Product Type	Printing Wall Covering
Material	100% polyester fiber
Surface Type	Digital printed
Size	2440*1220mm
Thickness	9/12mm
Density	1900g/sqm for 9mm; 2300g/sqm for 12mm
Color	Printed on white panel
NRC	0.8-0.9
Eco-friendly	E0
Fire Resistance	EN13501 ClassB







3D POLYESTER FIBER ACOUSTIC PANEL

A modular acoustic wall panel is designed to create a contemporary finish and add simple and effective acoustic control to any interior environment. Lightweight and semi-rigid, 3D Cube opens the realms of acoustic design flexibility whilst reduces reverberated sound and controls background noise. 3D Cube is completely safe and certified low VOC, suitable for residential, office, education, retail and hospitality spaces.


3D POLYESTER FIBER ACOUSTIC PANEL

3D PANEL TILES


KusCone




Ginkgo



Hexagon



Edgy 3D




More Designs



Big Drum
600*600*60mm




Sinkhole
600*600*65mm



X
200*200*30mm



Arrow keys
200*130*30mm



Stairs pyramid
200*200*60mm



Potato chips
740*750*76mm



Cross
200*200*30mm



Cube sugar
200*200*30mm



Diamond
300*300*85mm



Donut
600*600*68mm



Double Happiness
350*350*50mm



Little drum
200*200*35mm


Colors of 3D Panel Tiles

Choose from 9mm standard panel color chart


3D POLYESTER FIBER ACOUSTIC PANEL

3D FELT TILES


Wave





Cube



Inflected Lines



Vertical Arc



More Designs


500*500*60mm



Perfect Weaving



Arc



Oblique Line



Twisted Twing

600*600*74mm




Leaves



Lips



Pyramid



Rock



Water Cube



Dot



Labyrinth



Meteor Crater 400*600*45mm

Colors of 3D Felt Tiles



KB-01



KB-02



KB-03



KB-04



KB-05



KB-06



KB-07



KB-08



KB-09



KB-10



KB-11



KB-13



KB-14



KB-15



KB-16



KB-17



KB-19



KB-20



A vertical photograph on the left side of the page shows an office environment. In the foreground, a wooden desk is visible. Behind it, a large, dark, textured acoustic screen stands. A computer monitor is positioned in front of the screen, displaying a website with a person standing next to a red acoustic screen. The background shows a window with a view of the outdoors.

ACOUSTIC FURNITURE

Designed with solid color throughout, our acoustic furniture has always been the first choice for designers and architects around the world with both functional, sustainable, decorative and great unwanted reverberation reduction. The free standing variable acoustic screen is used in the face-to-face position, providing strong sound absorption, separation and bass control, and expands personal space as well.

ACOUSTIC FURNITURE

EMBOSSED DESK DIVIDER

Big Kuspot



Size

920*300*14mm
1180*300*14mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
clips

Small Kuspot



Size

1030*330*13mm
800*330*13mm
1030*500*13mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
clips

Kushung



Size

1180*580*16mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
hangers

Kuslot



Size

580*340*16mm
1180*340*16mm
1380*340*16mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
clips

Kusprotrusion



Size

1400*560*18mm
1160*450*18mm
1160*500*18mm
1160*550*18mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
clips or hangers

Kuswave



Size


1170*580*9mm
1170*580*12mm

Finishes

Kingkus Standard Panel
or Kingkus felt

Mounting

Desk mounted with
clips or hangers



ACOUSTIC FURNITURE

ENGRAVING DESK DIVIDER

Accpanel



Size

2400*400*12mm
1200*400*12mm
1200*600*12mm
or customized

Finishes

Standard Panel

Mounting

Desk mounted with clips
or hangers

Acc-carved



Size

2400*400*12mm
1200*400*12mm
1200*600*12mm
or customized

Finishes

Standard Panel

Mounting

Desk mounted with clips
or hangers

Accfold



Size

2400*400*12mm
2000*400*12mm
1800*400*12mm
or customized

Finishes

Standard Panel

Mounting

Desk mounted with clips
or hangers

Accinsert



Size

800*600*12mm
800*700*12mm
or customized

Finishes

Standard Panel

Mounting

Insert directly on the desk

Accgrooved



Size

2400*600*12mm
2000*600*12mm
or customized

Finishes

Standard Panel

Mounting

Desk mounted with hangers

DESK DIVIDER MOUNTINGS

Clip



Hanger





Color



ACOUSTIC FURNITURE WORKSTATION

1160H Workstation



Size

1160*450*18mm
1160*500*18mm
1160*550*18mm
1160*200(R)*18mm

Finishes


Standard Panel

Mounting

Wooden connection
and screws



1400H Workstation



Size

1400*560*18mm
1400*560(R)*18mm

Finishes

Standard Panel

Mounting

Wooden connection
and screws





KUSDESIGN APPLICATION

With the increasing demand for agile workspaces with various zones that allow staff to collaborate or work alone and concentrate undisturbed by the activities around them, we have created different wall, ceiling and lighting designs with incredible acoustics plus unique appearances suited to offices, education and training facilities and any open plan building.

KUSWAVES


ACOUSTIC PANEL

KusWaves is a sound absorber with a simple graphic design. The pattern formed by combining several modules can be varied in a virtually infinite number of ways. Sound-absorbing acoustic panels in hot-pressed KusWaves is mounted on the wall or the ceiling. You can use different colors, different perspectives, the perfect world mosaic.



Specifications

Size	Thickness	Material
1170*580mm	9mm, 12mm	standard 9mm or 12mm panel






KUSTAR


ACOUSTIC CEILING

KuStar helping you design visually stunning, acoustically-controlled spaces for creative, productive living, working and play.



Size

915*792*140mm



Material

Standard 9mm Panel

Mounting

Ceiling hung with cable, connect with joiners



KUSCLOUD

ACOUSTIC CEILING

KusCloud is an ideal solution for capturing noise and muffling echoes as they reflect around a large space. Rooms with bare cement floors and blank walls need the added acoustic treatment to mitigate their tendency to reflect sound.

Size

2400*1200*12mm

2400*600*12mm

1200*1200*12mm

1200*600*12mm

1200(D)*12mm

838(D)*12mm


600(D)*12mm

Material

Standard 12mm Panel

Mounting

Ceiling hung with cable




KUSWAFFLE

ACOUSTIC CEILING


KusWaffle adds a touch of style and sound buffering to almost any space. It reduces sound levels in your workspace. It hangs from ceilings via simple, yet strong, wire assemblies.




Size



Round: 1200*1200*150mm



Oval: 2400*1200*300mm



Rectangle: 2400*1200*280mm

Material


Standard 12mm Panel

Mounting

Ceiling hung with cable



KUSBAFFLE ACOUSTIC CEILING



KusBaffle is one of the industry's most dynamic acoustic ceiling systems. Designed to work with standard connection systems, KusBaffle installs in seconds. This is where flowing aesthetics and acoustic performance meet in harmony.

Size

2400*200*12mm

2400*300*12mm

2400*400*12mm

Material

Standard 12mm Panel

Mounting

Ceiling hung with square tube and cable

Service

Customized designs available



TECHCEILING

ACOUSTIC CEILING

A modular polyester fiber acoustic panel ceiling system with incredible acoustics and a unique appearance. A design that delights both eyes and ears and has sustainability at its core.

Size

2440*40*55mm


Material

Standard 9mm Panel

Mounting

Ceiling hung with carriers


Wall install with clips




KUSWALL

ACOUSTIC WALL BAFFLE

KusWall is a modular acoustic tiling system that can be easily configured to create seemingly endless “custom” wall sculptures. With only three modular KusWall, endless varieties of undulations, ebbs and flows, and transitions can be created within any interior environment.




Size




Mounting

Mount with Z-clip



Material


Standard
12 mm Panel



KUSLIGHTING

ACOUSTIC DECORATIVE LIGHTING

Milk Tea



Finishes


Standard Panel
or Kingkus felt

Mounting

Hung on ceiling with metal cap



Coffee




Finishes

Standard Panel
or Kingkus felt

Mounting

Hung on ceiling with metal cap

Vane




Finishes

Standard Panel

Mounting

Hung on ceiling with metal cap

Plex




Finishes

Standard Panel

Mounting

Hung on ceiling with metal cap

Box



Size

1100*300*100mm
500*200*100mm

Finishes

: Standard Panel

Mounting

Hung on ceiling with metal cap



KUSDIVIDER

STANDING ACOUSTIC DIVIDER

KusDivider is a freestanding, acoustic, modular room divider that can be configured into privacy screens, displays or even temporary walls and rooms without hardware or damage to existing walls and ceilings. The modules can be assembled in closed or open configurations for privacy or visual separation.



Specifications


Size

500*300*9mm, 540*300*9mm

236*306*9mm

Material

standard 9mm panel



KUSRUSTIC

SLATS ACOUSTIC PANEL

Kusrustic slats acoustic panel can significantly improve the sound for a room, while also contributing with a modern and stylish expression. Functional slats with wood veneer or melamine when it's best! It's suitable for office communities, shops and restaurants. The Kusrustic is designed to reduce the noise level and is an effective solution for sound absorption while bringing down the reverberation time for noise in the home.



Specifications

Size

2400*600*27mm
or customized

Material

standard panel
E0 MDF/ B1 MDF/ Black MDF

Finish

Veneer/ Melamine/ HPL/ Painting



Ash



Beech



Cherry



Maple



Oak



Sapelli



Teak



Teak



Wakunt

INSTALLATION


PLAIN POLYESTER FIBER ACOUSTIC PANEL

Tools Preparation




Clean Wall Surface and Mark

1. Leveling and measuring




2. Lightly mark wall to indicate level hanging position




Cutting


1. Chamfering



Cutting



Chamfer 45° degree bevel




Finish


Caution

Recommend rigid steel ruler if cut by hand Recommend utility knife to avoid rough edges of the panel while cutting.


2. Internal and external corners processing




Adjust the height of the knife




Cut 4/5 depth of the panel




After cutting



Chamfer 45° beveledge for side A




Same as side B




After chamfering

3. Apply adhesive




Apply adhesive to the position

4. Installation



Adhesiving as the mark on wall



Finish

Caution


Adhesive: white latex , general chloroprene glue, hot melt adhesive are suggested according to different wall surface.

INSTALLATION


3D POLYESTER FIBER ACOUSTIC PANEL

Tools Preparation

Hot melt adhesive stick, Advantages: strong adhesion, instant firm. Disadvantages: No toughness, easy to peel off by external forces




Glass adhesive, Advantages: sticky, tough, dry and not easy to peel off. Disadvantages: Firm time is relatively long and is not susceptible to movement by external forces until dry.




Hot melt adhesive and glass glue, it is recommended to use together. The four blocks first hit with the glass glue, then use the hot melt glue, and quickly stick to the position after the Glue.

Installation


- 1、 Using infrared level light meter, first of all, Please install one pcs of 3D on the wall, Fix the center position




- 2、 Fix the gasket or PVC clips on the back, use nails or stick glue



3、 Four-point positioning



4、 From the inside out, install one by one



5、 If the edge is deformed, it can be squeezed with force because the product is kingkus polyester fiber material, which is soft and can be properly

